

Town of Strathmore

Town of Strathmore Permit Number

Fax: (403)934-4713 email: development@strathmore.ca

1 Parklane Drive, PO Box 2280 Strathmore, AB T1P 1K2 Phone: (403) 934-3133

WATER, SANITARY SEWER & STORM SEWER CONNECTION PERMIT

The Applicant must contact The Town of Strathmore (403) 934-3133 Engineering Department -Service Connections, 3 days prior to connecting to municipal water, sanitary sewer and storm sewer to arrange for the supervision and inspection of the installation of these services. Before backfilling the Quick Trench pictures of the connection must be emailed to: serviceconnect@strathmore.ca indicating the civic address in the subject line.

| DATE OF APPLICAT | ION: | | | | | | | |
|---|---|---|-------------------------------|-----------------------|--|--|--|--|
| APPLICATION FOR: | ☐ WATER & SANITARY | | ☐ STORM | M SEWER | FEE: | | | |
| | SEWER C | CONNECTION | CONN | NECTION | | | | |
| Project Address - | | Project | t Address - Le | egal | | | | |
| | | | Lot | Block | Plan | | | |
| Proposed Use | Residential | ☐ Commercial | □ Indus | strial | ☐ Institutional | | | |
| OWNER: | EMAIL | ADDRESS: | | | | | | |
| Name: | | Phone: | | | | | | |
| Address: | | | | | Fax: | | | |
| City: | | Province: | | P | PC: | | | |
| APPLICANT: | EMAIL ADDRESS: | | | | | | | |
| Contractor Name | | | | | Phone: | | | |
| Address: | | | | | Fax: | | | |
| City: | | Provi | ince: | P | PC: | | | |
| urpose of any necessary insuitary sewer and storm sewer | spection in conjuger connection spectant (please) | nction with this applic ecifications of the Town | cation. The unit of Strathmor | undersigned he re. | EPCOR the right to access the property for ereby agrees to abide by all applicable v | | | |
| SIGNATURE OF AP | PLICANI. | | | | | | | |
| | | FOR OFFIC | CE USE | ONLY | | | | |
| DATE OF ISSUANCE | E OF PERMI | T: | | | | | | |
| PERMIT ISSUER'S N | JAME: | | | | | | | |
| PERMIT ISSUER'S S | | <i>.</i> : | | | | | | |
| NEVELODMENIT DEL | DMIT #. | | | | | | | |

This information is protected by the provisions of the Freedom of information & Protection of Privacy Act. If you have any questions about the collection, please contact the FOIP Coordinator at 934-3133, weekdays.



Town of Strathmore

Town of Strathmore Permit Number

1 Parklane Drive, PO Box 2280 Fax: (403)934-4713 Strathmore, AB T1P 1K2 email: development@strathmore.ca

WATER, SANITARY SEWER & STORM SEWER CONNECTION CHECKLIST

| Pr | ojec | t Address - Civic | Project Legal Description: | | | | | | |
|----------|-------|--|---|---|---|--|--|--|--|
| | | | Lot | Block | Plan | | | | |
| CO | NTI | RACTOR: | | | | | | | |
| Naı | me: | | Sig | nature : | | | | | |
| Company: | | Ticket n | | | | | | | |
| Genera | 1 | | | | | | | | |
| | | Notified Town of Strathmore Service Cor Pictures taken PRIOR to backfilling and s All water, sanitary and storm rough in pip Applied for locates with OneCall, notified Submitted completed Checklist to Town of If breaking a Town road-right-of-way: app | sent to serviceconnects sing completed and in I the Town of any co of Strathmore Service | <u>@strathmore.ca.</u> nstalled to GRA onflicts e Connections | ADE SLIP requirements via email or mail | | | | |
| Water | | Water services up to and including 50 mm installed in common trench with sanitary and storm sewer lines Water services larger than 50 mm installed in separate trench Tracing wire installed where services cannot be laid 90 degrees to the main Performed Visual Leak Test | | | | | | | |
| Sanitar | y Se | wer | | | | | | | |
| | | Slope towards Main: Performed visual inspection of all joints Any debris which may have entered the service pipe or main, removed prior to completion of service connection | | | | | | | |
| Storm S | | | ervice pipe or main, | removed prior | to completion of service connection | | | | |
| | | Slope towards Main: Performed visual inspection of all joints Any debris which may have entered the service pipe or main, removed prior to completion of service connection | | | | | | | |
| Sketch (| (Plea | se label dimension including depth and | location relative to | center of lot |) <i>:</i> | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

Specifications

Backfill & Bedding

- Minimum 50mm suitable bedding material (fractured gravel 1/2" to 3/4") underneath service pipes
- Minimum 200mm suitable bedding material (fractured gravel 1/2" to 3/4") above service pipes

Water

PEX Pipe (Cross-linked Polyethylene Pipe) meeting ASTM F876

Sanitary Sewer

- PVC Pipe (Polyvinyl Chloride Pipe) shall be SDR35 meeting CSA B182.2.
- ABS Pipe (Acrylonitrile Butadiene Styrene pipe) meeting CSA B181.1
- Minimum 1% grade down towards main

Storm Sewer

- PVC Pipe (Polyvinyl Chloride Pipe) shall be SDR35 meeting CSA B182.2.
- ABS Pipe (Acrylonitrile Butadiene Styrene pipe) meeting CSA B181.1
- Minimum 1% grade down towards main
- Connection to the sanitary sewer is not permitted

DRAWING 34: TYPICAL RESIDENTIAL SERVICE INSTALLATION

